

Gallagher | Aperio

Wireless Access Solutions

The Gallagher Aperio integration provides cost-effective, wireless access control for lower security doors. The Aperio integration is particularly suited to doors that require some level of security, but the cost of a fully wired and monitored door cannot be justified.

Gallagher | Aperio solution benefits

- Save cost on installation, power supply and data cables are not required, which means it is also perfect in locations isolated from a network connection (i.e. heritage buildings)
- Reduce risk and prevent liability issues by combining Command Centres ability to monitor competencies with wireless access functionality. Expired or insufficiently trained card holders will be prevented access from areas they shouldn't be in. Comprehensive audit trails are kept making all this entry/exit information available for reporting

Gallagher | Aperio integration features


- Remote lock/unlock override
- Emergency lockdown zones
- Schedule updates with mini pole
- Door position sensing (HW dependent)
- Classic, Plus SL3 and DESFire EV1/EV2
- HID 1.25 kHz, iCLASS 26/8 (USA models)
- Privacy mode and override
- User PIN and keycode
- Key override taken
- Offline Smart Cache
- Aperio lock version detection



How the solution works

The integration between Aperio and Gallagher ensures a wide range of wireless RFID solutions are possible, all able to make use of Command Centre's powerful reporting and access control capabilities.

Solution architecture



Note: A maximum of 20 Aperio readers can be connected to a Controller 6000 (up to 16 readers per Aperio RS485 bus).

Feature reference

Features	Access Control Technology		
	Aperio V2	Aperio V3	Gallagher Wired Reader
One-pass MIFARE Classic, Plus or DESFire card encoding	✓	✓	✓
Management of cardholders and access	✓	✓	✓
Site activity reporting	✓	✓	✓
Centralized alarm management	✓	✓	✓
Competencies	✓	✓	✓
Real-time event and alarm updates	✓	✓	✓
Evacuation reporting	✓	✓	✓
Site lockdown	✓*	✓**	✓
Door monitoring (forced door, door open too long)	✓	✓	✓
Online, automated update of door locking schedules	✓*	✓**	✓
Alarm zone control at the door	✓	✓	✓
Integration of access and alarm zone status*			✓
Contact ID alarm reporting			✓
Operator initiated door overrides		✓**	✓
Operator initiated access mode overrides ¹	✓*	✓**	✓
Time & Attendance reporting			✓
User pin authentication only		✓**	✓
Multi-factor authentication at the door (e.g. Card+PIN)		✓**	✓
Duress entry			✓
Anti-passback and anti-tailgating			✓
Challenge viewers			✓
Interlocking doors			✓
Zone counting			✓
Lift control			✓
Emergency override	✓	✓**	✓
Door unlock duration	✓	✓	✓
Second User Card Access (2 card entry)	✓**	✓**	✓

Note: MIFARE Classic, MIFARE Plus, MIFARE DESfire EV1 and MIFARE DESfire EV2 are registered trademarks of NXP B.V. ¹Not supported in R100

Aperio product reference

Features & compatibility	Aperio Model										
	AU100	C100/ P100/ H100	E100	PR100	IN100	K100	KS100	A100	L100	G100	R100
RS485 1:8 Aperio Hub	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Wiegand 1:1 Aperio Hub	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
MIFARE Classic	✓	✓	✓		✓	✓	✓		✓	✓	✓
MIFARE Plus**	✓	✓	✓		✓	✓	✓		✓	✓	✓
MIFARE DESFire**	✓	✓	✓		✓	✓	✓		✓	✓	✓
iCLASS 26/8	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓
HID 125 kHz**				✓	✓	✓	✓	✓		✓	✓
Battery monitoring	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Customer encryption	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Online event monitoring	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Mini Pole (5-10 second)***	✓	✓	✓		✓				✓	✓	✓
Privacy override mode**					✓						
Offline memory cache***	✓		✓		✓	✓	✓		✓	✓	✓
Offline access***	✓	✓	✓		✓	✓	✓		✓	✓	
Flat battery recovery	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Door position sensing	✓			✓	✓	✓	✓	✓	✓	✓	
Keypad	✓		✓	✓					✓	✓	

* For a door to move from Free to Secure mode in a lock down scenario, or from Secure to Free mode in a scheduled access change, the presentation of a card is required at the door

** Requires Command Centre v7.70 (or later)

*** Requires Command Centre v7.70 and Aperio V3 FW

Supported products

A wide range of Aperio products can be deployed easily with the Gallagher solution, a selection of currently supported products is displayed below. For more detail on Aperio products, please contact your nearest Gallagher representative.



C103 Cylinder V3



AU100 V3



KS103 V3



E100 V3



IN100 V3



H103 V3 Handle RH V3



K103 V3



R100 V3 Reader



G103 V3 Glass Door V3



AH30 Communications Hub



P103 V3 Padlock



Wireless USB Dongle



H103 USB Adapter

C867105 AH20 Standard Communications Hub****

C867106 - AH20 Advanced Communications Hub****

Note: MIFARE Classic, MIFARE Plus, MIFARE DESFire EV1 and MIFARE DESFire EV2 are registered trademarks of NXP B.V.

**** Requires Command Centre v8.30 and Aperio V3 hardware. Double card override not supported.

GALLAGHER WORLD HEADQUARTERS

Kahikatea Drive, Hamilton 3206
Private Bag 3026, Hamilton 3240
New Zealand

TEL: +64 7 838 9800
EMAIL: security@gallagher.com



REGIONAL OFFICES

New Zealand.....	+64 7 838 9800
Americas.....	+1 877 560 6308
Asia	+852 3468 5175
Australia	+61 3 9308 7722
India	+91 98 458 92920
Middle East.....	+971 4 5665834
South Africa	+27 11 974 4740
United Kingdom / Europe.....	+44 2476 64 1234

DISCLAIMER: This document gives certain information about products and/or services provided by Gallagher Group Limited or its related companies (referred to as "Gallagher Group"). The information is indicative only and is subject to change without notice meaning it may be out of date at any given time. Although every commercially reasonable effort has been taken to ensure the quality and accuracy of the information, Gallagher Group makes no representation as to its accuracy or completeness and it should not be relied on as such. To the extent permitted by law, all express or implied, or other representations or warranties in relation to the information are expressly excluded. Neither Gallagher Group nor any of its directors, employees or other representatives shall be responsible for any loss that you may incur, either directly or indirectly, arising from any use or decisions based on the information provided. Except where stated otherwise, the information is subject to copyright owned by Gallagher Group and you may not sell it without permission. Gallagher Group is the owner of all trademarks reproduced in this information. All trademarks which are not the property of Gallagher Group, are acknowledged. Copyright © Gallagher Group Ltd. All rights reserved.

SEC352 - 05/20