

T-Series Readers

The Gallagher T-Series Reader and Terminal range provides contactless card functionality for access control management in your business.

Fast and secure access control

Utilizing the high speed RS485 HBUS protocol, Gallagher readers can offer an unparalleled access decision response time.

Features and benefits

- Support for multiple card technologies including: MIFARE DESFire EV1®, MIFARE DESFire EV2®, MIFARE Plus® and MIFARE Classic®, as well as optional 125 kHz proximity and Bluetooth® wireless technology
- Field upgradeable software
- Secure reader authentication and encryption of data communications
- Options for outdoor protection from extreme environments
- Environmentally friendly – RoHS compliant and designed for minimal power consumption
- Backwards compatibility – the readers are compatible with Cardax IV enabled hardware
- Support for custom site encryption keys
- Heartbeat monitoring for real-time reader status
- Extensive selection of mounting, and protection accessories



Gallagher T20 Terminal

With a contemporary and intuitive user interface, 3.5" color screen and large backlit keys, Gallagher's T20 access terminal is very easy to use. Crafted from high grade polymer material, the terminal has IP66 rated environmental protection, and IK08 rated impact protection making it ideal for use in harsh environments. The T20 is both an access reader and a management tool, able to read cards, accept PIN's and has the ability to interface directly with the security system to make control decisions.

Features and benefits

- Card Only and Card + PIN access modes (including duress access support, and dual cardholder authentication)
- Enforce cardholder compliance with entry regulations through competency message display
- Manage building facilities like heating, ventilation, or lighting with a key press
- Arm and disarm up to 50 alarm zones distributed across any system controllers, with optional automated input isolation, and automated alarms acknowledgment.
- Display up to 200 unacknowledged alarms and 100 acknowledged alarms, and manage up to 100 inputs. An alarms only variant is available (The T20 Alarms Terminal - C300463) when reader capability is not required.
- Maintain system integrity with prompts to conduct manual system checks
- Extensive perimeter management functions, including arming and disarming zones, acknowledging alarms, fence zone lockout for maintenance, and displaying fence voltage, battery voltage and fence controller temperature.
- Multiple language support
- Integrated rear tamper
- Custom background images to display company logo's, promotional imagery or messaging
- Fully configurable Mimic Panel reflecting the status of up to 8 inputs, outputs, or alarm zones
- Upgrade software in situ to keep your system up to date with latest technology developments (via HBUS)



T20

Gallagher T-Series Readers

Available in several thin-form shapes, black or white, MIFARE or multi tech, the contactless readers of the T-Series range provide a reader option for anywhere on site.

Features and benefits

- IP68 environmental protection and IK07 for impact protection
- Contemporary design - classic black and white, with both mullion or flushbox mounting variants
- Configurable illumination and sound; where visual or audible indications may cause distraction
- Lifetime warranty



T10

T11

T12

T15



T15 Reader

Superior environmental protection

The robust construction of Gallagher's T15 Reader makes it perfect for deployment in environmentally challenging locations. Our comprehensive testing procedures prove the T15 delivers outstanding all-weather performance, making it the easy choice for outdoor use.

Slim form factor

Available in standard and multi-technology variants, the T15 sits easily on a mullion, and delivers reliable card reading performance when mounted on a variety of surfaces (including metal).

Gallagher also provide a number of accessories for the T-Series range including:

- **Protective covers** - IK08 rating protects readers against vandal attacks and harsh environments
- **Dress plates** - cover up holes left by previously installed readers, ensuring a clean finish for sites upgrading their reader and terminal hardware
- **Bezels** - surrounds available in a variety of colors to suit decor
- **Spacers** - enforces a space between the reader and the mounting surface, allowing installations on metal surfaces whilst preserving credential read range
- **Mounting blocks** - allow the T20's wiring to be terminated in a tamper protected environment.



Product Numbers

| T-Series Readers | | | | | |
|------------------|--------------------------------|---------|------------------------------|---------|--------------------------|
| C300461 | T20 Multi Tech Terminal, White | C300441 | T12 Multi Tech Reader, White | C300401 | T10 MIFARE Reader, White |
| C300460 | T20 Multi Tech Terminal, Black | C300440 | T12 Multi Tech Reader, Black | C300400 | T10 MIFARE Reader, Black |
| C300451 | T20 MIFARE Terminal, White | C300421 | T12 MIFARE Reader, White | | |
| C300450 | T20 MIFARE Terminal, Black | C300420 | T12 MIFARE Reader, Black | | |
| C300471 | T15 MIFARE Reader, White | C300431 | T11 Multi Tech Reader, White | | |
| C300470 | T15 MIFARE Reader, Black | C300430 | T11 Multi Tech Reader, Black | | |
| C300481 | T15 Multi Tech Reader, White | C300411 | T11 MIFARE Reader, White | | |
| C300480 | T15 Multi Tech Reader, Black | C300410 | T11 MIFARE Reader, Black | | |

| T20 Alarms Terminal | | | |
|---------------------|----------------------------|---------|----------------------------|
| C300463 | T20 Alarms Terminal, Black | C300464 | T20 Alarms Terminal, White |

| T-Series Dress Plates | | | | | |
|-----------------------|-------------------------------|---------|-------------------------------|---------|-------------------------------|
| C300323 | T20 Dress Plate, Black, Pk 5 | C300321 | T11 Dress Plate, Black, Pk 10 | C300320 | T10 Dress Plate, Black, Pk 10 |
| C300322 | T12 Dress Plate, Black, Pk 10 | C300324 | T15 Dress Plate, Black, Pk 10 | | |

| T-Series Bezels | | | | | |
|-----------------|--------------------------|---------|--------------------------|---------|--------------------------|
| C300292 | T20 Bezel, Black, Pk 5 | C300299 | T15 Bezel, Gold, Pk 10 | C300286 | T11 Bezel, Silver, Pk 10 |
| C300293 | T20 Bezel, White, Pk 5 | C300288 | T12 Bezel, Black, Pk 10 | C300287 | T11 Bezel, Gold, Pk 10 |
| C300294 | T20 Bezel, Silver, Pk 5 | C300289 | T12 Bezel, White, Pk 10 | C300280 | T10 Bezel, Black, Pk 10 |
| C300295 | T20 Bezel, Gold, Pk 5 | C300290 | T12 Bezel, Silver, Pk 10 | C300281 | T10 Bezel, White, Pk 10 |
| C300296 | T15 Bezel, Black, Pk 10 | C300291 | T12 Bezel, Gold, Pk 10 | C300282 | T10 Bezel, Silver, Pk 10 |
| C300297 | T15 Bezel, White, Pk 10 | C300284 | T11 Bezel, Black Pk 10 | C300283 | T10 Bezel, Gold, Pk 10 |
| C300298 | T15 Bezel, Silver, Pk 10 | C300285 | T11 Bezel, White, Pk 10 | | |

| T-Series Spacers | | | | | |
|------------------|--------------------------|---------|--------------------------|---------|---------------------------------|
| C300306 | T20 Spacer, Black, Pk 5 | C300302 | T11 Spacer, Black, Pk 10 | C300301 | T10 Spacer, White, Pk 10 |
| C300307 | T20 Spacer, White, Pk 5 | C300303 | T11 Spacer, White, Pk 10 | C300312 | T20 Protective Cover Spacer |
| C300304 | T12 Spacer, Black, Pk 10 | C300300 | T10 Spacer, Black, Pk 10 | C300311 | T11/T12 Protective Cover Spacer |
| C300305 | T12 Spacer, White, Pk 10 | C300300 | T10 Spacer, Black, Pk 10 | C300310 | T10 Protective Cover Spacer |


| T-Series Protective Covers | | | | | |
|----------------------------|--------------------------|---------|----------------------|---------|----------------------|
| C300271 | T11/T12 Protective Cover | C300270 | T10 Protective Cover | C300272 | T20 Protective Cover |

| Mounting Blocks | | | | | |
|-----------------|--------------------------------------|---------|--------------------------------------|--|--|
| C300931 | T20 Mounting Block, Side Cable Entry | C300930 | T20 Mounting Block, Rear Cable Entry | | |
| C300951 | T15 Mounting Block, Side Cable Entry | | | | |

Technical Specifications



| T-Series Readers | T10 | T11 | T12 | T15 | T20 |
|--|--|-----------------|-----------------|-----------------|-------------------|
| Maximum Read distance - MIFARE Classic | 75mm | 75mm | 75mm | 75mm | 100mm |
| - MIFARE DESFire EV1 | 50mm | 50mm | 50mm | 35mm | 95mm |
| - MIFARE DESFire EV2 | 60mm | 60mm | 60mm | 50mm | 100mm |
| - MIFARE Plus | 30mm | 30mm | 30mm | 25mm | 65mm |
| - 125kHz | - | 95mm | 95mm | 60mm | 95mm |
| - Mobile Connect (BLE) *** | - | Configurable | Configurable | Configurable | Configurable |
| Dimensions mm (H x W x D) | 115 x 35 x 12 | 115 x 70 x 12 | 86 x 86 x 12 | 139 x 44 x 23 | 179.5 x 95.7 x 23 |
| Dimensions inches (H x W x D) | 4.5 x 1.4 x 0.5 | 4.5 x 2.8 x 0.5 | 3.4 x 3.4 x 0.5 | 5.5 x 1.7 x 0.9 | 7.1 x 3.8 x 0.9 |
| Environmental protection | IP68 | | | | IP66 |
| Impact rating | IK07 | | | | IK08 |
| UV Stability | Nil structural degradation for the life of the reader* | | | | |
| Voltage | 9-16Vdc | 9-16Vdc | 9-16Vdc | 9-16Vdc | 9-16Vdc |
| Idle current @ 13.6Vdc - MIFARE | 51mA | 50mA | 50mA | 50mA | 168mA |
| Idle current @ 13.6Vdc - Multi | - | 80mA | 80mA | 81mA | 157mA |
| Operational Temperature Range °C | -35° to + 70°C | | | | -30° to + 70°C |
| Operational Temperature Range °F | -31°F to +158°F | | | | -22°F to +158°F |
| Humidity | 95% non-condensing | | | | |

| Cable specifications (HBUS data only) | |
|---------------------------------------|---|
| Cat5e** | up to 500m |
| Gallagher HBUS Cable** | up to 500m |
| Standards Compliance | All equipment complies with FCC, CE, UL, and RCM approvals. Compliance and certification information is available on our support site or by contacting Gallagher.  |

* Read range may be reduced when reader is mounted on metal surfaces

* Prolonged exposure to high UV light environments can cause plastics to discolor

** For further cable specifications please refer to the Gallagher Security System Technical Reference Manual

*** For further information on the Mobile Connect solution, please refer to the Mobile Connect Datasheet

| Protective Covers | T10 | T11 | T12 | T20 |
|-------------------------------|-----------------|-----------------|-----------------|-----------------|
| Dimensions mm (H X W X D) | 132 x 63 x 18 | 131 x 111 x 18 | 131 x 111 x 18 | 193 x 123 x 32 |
| Dimensions inches (H X W X D) | 5.2 x 2.5 x 0.7 | 5.2 x 4.4 x 0.7 | 5.2 x 4.4 x 0.7 | 7.6 x 4.8 x 1.3 |

MIFARE Classic, MIFARE Plus, MIFARE DESfire EV1 and MIFARE DESfire EV2 are registered trademarks of NXP B.V.

©2013 Gallagher Group Ltd. Gallagher is an ISO 9001:2008 certified supplier. All rights reserved. The products described in this document are subject to continuous development and improvement so specifications and information may change without notice. System configuration, network capacities and the volume of system activity affect performance.

GALLAGHER WORLD HEADQUARTERS

Kahikatea Drive, Hamilton 3206
Private Bag 3026, Hamilton 3240
New Zealand

TEL: +64 7 838 9800
EMAIL: security@gallagher.com

REGIONAL OFFICES

New Zealand.....+64 7 838 9800
Americas.....+1 877 560 6308
Asia.....+852 3468 5175
Australia.....+61 3 9308 7722
India.....+91 98 458 92920
Middle East.....+971 4 5665834
South Africa.....+27 11 974 4740
United Kingdom / Europe.....+44 2476 64 1234

DISCLAIMER: This document gives certain information about products and/or services provided by Gallagher Group Limited or its related companies (referred to as "Gallagher Group"). The information is indicative only and is subject to change without notice meaning it may be out of date at any given time. Although every commercially reasonable effort has been taken to ensure the quality and accuracy of the information, Gallagher Group makes no representation as to its accuracy or completeness and it should not be relied on as such. To the extent permitted by law, all express or implied, or other representations or warranties in relation to the information are expressly excluded. Neither Gallagher Group nor any of its directors, employees or other representatives shall be responsible for any loss that you may incur, either directly or indirectly, arising from any use or decisions based on the information provided. Except where stated otherwise, the information is subject to copyright owned by Gallagher Group and you may not sell it without permission. Gallagher Group is the owner of all trademarks reproduced in this information. All trademarks which are not the property of Gallagher Group, are acknowledged. Copyright © Gallagher Group Ltd. All rights reserved.

3E2494 - 07/19

